



EF20

LEVEL 20 SMOOTHING SELF LEVELLING FLOOR COMPOUND

1 UNIQUE IDENTIFICATION CODE	Eco Fusion Level 20 – Floor Levelling Compound
2 TYPE BATCH OR SERIAL NUMBER OR ANY OTHER ELEMENT ALLOWING IDENTIFICATION OF THE CONSTRUCTION PRODUCT AS REQUIRED BY ARTICLE 11(4)	See Product Packaging for batch number and production date.
3 INTENDED USES OF CONSTRUCTION PRODUCT, IN ACCORDANCE WITH APPLICABLE HARMONISED TECHNICAL SPECIFICATION AS FORESEEN BY THE MANUFACTURER	Cementitious free, ultra low carbon, highly flexible rapid setting, free flowing, smoothing self-levelling floor compound for prepar- ing subfloors prior to installation, with feather edge up to 20 mm thickness.
4 NAME, REGISTERED NAME OR REGISTERED TRADE MARK AND CONTACT ADDRESS OF THE MANUFACTURER AS REQUIRED BY ARTICLE 11 (5)	Eco Fusion Limited, Coes Road, Dundalk Co Louth
5 NAME AND CONTACT ADDRESS OF THE AUTHORIZED REPRESENTATIVE WHOSE MANDATE COVERS THE TASK SPECIFIED IN ARTICLE 12 (2)	Not Applicable
6 ASSESSMENT AND VERIFICATION OF CONSTANCY OR PERFORMANCE	Not Applicable
7 NOTIFIED BODY	Not Applicable
8 EUROPEAN TECHNICAL ASSESSMENT	Not Applicable



9

DECLARED PERFORMANCE

EN 13813:2002

CLASSIFICATION

CT – C30-F6

REACTION TO FIRE

NPD

RELEASE OF CORROSIVE SUBSTANCE

CT

WATER PERMEABILITY

NPD

WATER VAPOUR PERMEABILITY

NPD

COMPRESSIVE STRENGTH

C30

FLEXURAL STRENGTH

F6

WEAR RESISTANCE

NPD

SOUND INSULATION

NPD

SOUND ABSORPTION

NPD

THERMAL RESISTANCE

NPD

CHEMICAL RESISTANCE

NPD



The Performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of Eco Fusion

Chris Vickers

CHRIS VICKERS
Technical Director

Dundalk

PLACE

23/1/23

DATE