



EF70

LEVEL 70 RAPID SETTING SMOOTHING LEVELLING FLOOR COMPOUND

1 UNIQUE IDENTIFICATION CODE	Eco Fusion Level 70 – Floor Levelling Compound
2 TYPE BATCH OR SERIAL NUMBER OR ANY OTHER ELEMENT ALLOWING IDENTIFICATION OF THE CONSTRUCTION PRODUCT AS REQUIRED BY ARTICLE 11(4)	See Product Packaging for batch number and production date.
3 INTENDED USES OF CONSTRUCTION PRODUCT, IN ACCORDANCE WITH APPLICABLE HARMONISED TECHNICAL SPECIFICATION AS FORESEEN BY THE MANUFACTURER	Cementitious free, ultra low carbon, highly flexible rapid setting, free flowing, smoothing floor compound for preparing subfloors prior to installation with feather edge to 70 mm thickness.
4 NAME, REGISTERED NAME OR REGISTERED TRADE MARK AND CONTACT ADDRESS OF THE MANUFACTURER AS REQUIRED BY ARTICLE 11 (5)	Eco Fusion Limited, Coes Road, Dundalk Co Louth
5 NAME AND CONTACT ADDRESS OF THE AUTHORIZED REPRESENTATIVE WHOSE MANDATE COVERS THE TASK SPECIFIED IN ARTICLE 12 (2)	Not Applicable
6 ASSESSMENT AND VERIFICATION OF CONSTANCY OR PERFORMANCE	Not Applicable
7 NOTIFIED BODY	Not Applicable
8 EUROPEAN TECHNICAL ASSESSMENT	Not Applicable



9

DECLARED PERFORMANCE

EN 13813:2002

CLASSIFICATION
CT – C30-F7

REACTION TO FIRE
NPD

RELEASE OF CORROSIVE SUBSTANCE
CT

WATER PERMEABILITY
NPD

WATER VAPOUR PERMEABILITY
NPD

COMPRESSIVE STRENGTH
C30

FLEXURAL STRENGTH
F7

WEAR RESISTANCE
NPD

SOUND INSULATION
NPD

SOUND ABSORPTION
NPD

THERMAL RESISTANCE
NPD

CHEMICAL RESISTANCE
NPD



The Performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of Eco Fusion

Chris Vickers

CHRIS VICKERS
Technical Director

Dundalk

PLACE

23/1/23

DATE